## References

- Achman, D.R., K.C. Hornbuckle, and S.J. Eisenreich, 1993. "Volatilization of Polychlorinated Biphenyls from Green Bay, Lake Michigan." *Environ. Sci. Technol.* 27(1):75-87.
- Ahrnsbrak, W.F., and R.A. Ragotzkie, 1970. "Mixing Processes in Green Bay." *Proceedings of the 13th Conference on Great Lakes Research*, Buffalo, New York, pp. 880-890.
- Albert, D.A., 2000. Personal Communication to Anne Fitzpatrick, ThermoRetec, Seattle, Washington regarding the size of viable wetlands studied by Michigan Natural Features Inventory. January 25.
- Ankley, G.T., G.J. Niemi, K.B. Lodge, H.J. Harris, D.L. Beaver, D.E. Tillit, T.R. Schwartz, J.P. Giesy, P.D. Jones, and C. Hagley, 1993. "Uptake of planar polychlorinated biphenyls and 2,3,7,8-substituted polychlorinated dibenzofurans and dibenzo-p-dioxins by birds nesting in the Lower Fox River and Green Bay, Wisconsin, USA." *Archives of Environmental Contamination and Toxicology*. 24(3):332-344.
- Assel, R.A., C.R. Snider, and R. Lawrence, 1984. *Great Lakes Winter Weather and Ice Conditions for 1982-83*. NOAA Technical Memorandum ERL GLERL-55. Great Lakes Environmental Research Laboratory, Ann Arbor, MI.
- Assel, R.A., D.E. Boyce, B.H. DeWitt, J. Wartha, and F.A. Keyes, 1979. Summary of Great Lakes Weather and Ice Conditions, Winter 1977-78. NOAA Technical Memorandum ERL GLERL-26. Great Lakes Environmental Research Laboratory, Ann Arbor, MI.
- ATSDR, 1989. Toxicological Profile for 2,3,7,8-Tetrachlorodibenzo-p-dioxin. US Department of Health and Human Services. 129 pp.
- ATSDR, 1993a. *Toxicological Profile for Aldrin/Dieldrin (Update)*. US Department of Health and Human Services. 184 pp.
- ATSDR, 1993b. *Toxicological Profile for Arsenic (Update)*. US Department of Health and Human Services. 175 pp.

- ATSDR, 1993c. *Toxicological Profile for Lead (Update)*. US Department of Health and Human Services. 307 pp.
- ATSDR, 1994. *Toxicological Profile for: 4,4-DDT, 4,4-DDE, 4,4-DDD (Update)*. US Department of Health and Human Services. 166 pp.
- ATSDR, 1997a. Toxicological Profile for Polychlorinated Biphenyls (Update). US Department of Health and Human Services. 427 pp.
- ATSDR, 1997b. *Toxicological Profile for Mercury (Draft)*. US Department of Health and Human Services. 485 pp.
- Attig, J.W., L. Clayton, and M.D. Johnson, et al., 1988. "Pleistocene stratigraphic units of Wisconsin, 1984-87." WGNHS. Information Circular 62.
- Axness, K. A., et. al., 2002. When the Well Runs Dry: Examining the Water Supply Issues in Brown County, Wisconsin. WDNR Water Resources IMPACT.
- Baumann. T., 2000. Personal communication from the Director of the Bay Beach Wildlife Sanctuary regarding Bay Beach Wildlife Sanctuary. March 7.
- Batten, W. G., and Bradbury, K.R., 1996. Regional groundwater flow system between Wolf and Fox Rivers near Green Bay, Wisconsin: WGNHS Information Circular 75
- BBL, 1993. Remedial Investigation/Feasibility Study: Little Lake Butte Des Morts Sediment Deposit A. P.H. Glatfelter Company, Spring Grove, Pennsylvania
- BBL, 1998. Sediment, Tissue, and Water Sample Data Collected from the Lower Fox River and Green Bay on Behalf of the Fox River Group. Data contained in the FRDB and cited in the EcoChem Data Management Report, 2000.
- Beck, D.R.M., 1995. "Return to Nama'o Uskiwamit: The Importance of Sturgeon in Menominee Indian History." Wisconsin Magazine of History, Autumn 1995:32-48.
- Becker, G.C., 1983. Fishes of Wisconsin. University of Wisconsin Press. Madison, Wisconsin.
- Belonger, B., 2000. Personal communication from WDNR regarding the fish of west shores of Green Bay and the rate at which walleye and yellow perch fish reach maturity. January 13.

8-2 References

- Bertrand, G., J. Lang, and J. Ross, 1976. *The Green Bay Watershed Past/Present/Future*. Institute for Environmental Studies. University of Wisconsin Madison.
- Bierman, V.J., J.V. De Pinto, T.C. Young, P.W. Rodgers, S.C. Martin, R. Raghunathan, S.C. Hintz, 1992. *Development and Validation of an Integrated Exposure Model for Toxic Chemicals in Green Bay, Lake Michigan*. Prepared for USEPA Large Lakes and Rivers Research Branch, Environmental Research Laboratory, Duluth, Michigan, September 1.
- Blumberg, A., 2000. Personal Communication from HydroQual, Inc. to Anne Fitzpatrick, ThermoRetec, Seattle, Washington. Summary of August 1989 Green Bay Surface and Bottom Currents. August 2.
- Bosley, T.R., 1976. *Green Bay's West Shore Coastal Wetlands -- A History of Change*. University of Wisconsin-Green Bay, Master of Science Thesis.
- Bosley, T.R., 1978. "Loss of Wetlands on the West Shore of Green Bay." *Transactions of the Wisconsin Academy of Sciences, Arts, and Letters* (LXVI), Forest Stearns, ed., p. 235-245.
- Bowerman, W.W., 1993. "Regulation of bald eagles (*Haliaeetus leucocephalus*) productivity in the Great Lakes Basin: An ecological and toxicological approach." *Philosophy*. Michigan Sate University.
- Bradbury, K., 2002. Personal Communication from WGNHS regarding hydrogeology of Lower Fox River. May 17.
- Brandt, S.B., J.J. Magnuson, and L.B. Crowder, 1980. "Thermal Habitat Partitioning by Fishes in Lake Michigan." *Canadian Journal of Fish. Aquat.* Sci. 37:1557-1564.
- Brandt, S., D. Mason, et al., 1987. "Predation by Alewives on Larvae of Yellow Perch in Lake Ontario." *Transactions of the American Fisheries Society* 116: 641-645.
- Brazner, J.C., and J.J. Magnuson. 1994. "Patterns of Fish Species Richness and Abundance in Coastal Marshes and Other Nearshore Habitats in Green Bay, Lake Michigan." *Verh. Internat. Verein. Limnol.* 25:2098-2104.
- Brazner, J. 1997. "Regional, Habitat, and Human Development Influences in Coastal Wetland and Beach Fish Assemblages in Green Bay, Lake Michigan." *Journal of Great Lakes Research* 23(1):36-51.

- Brazner, J.C. and E.W. Beals, 1997. "Patterns in fish assemblages from coastal wetland and beach habitats in Green Bay, Lake Michigan: A multivariate analysis of abiotic and biotic forcing factors." *Canadian Journal of Fisheris and Aquatic Sciences.* 54:1743–1761.
- Brown County Planning Commission, 1990. The Fox River Corridor Land Use Map.
- Brown County Planning Department, 1999. Census Information. *Brown County website* at http://www.co.brown.wi.us/planning/census.html.
- Burridge, G.N., 1997. *La Mystique du Renard: The Fox River and the Passage to the West*. Brown County Historical Society. Green Bay, Wisconsin. 39 pp.
- Call, D.J., M.D. Balcer, L.T. Brooke, S.J. Lozano, and D.D. Vaishnav, 1991. Sediment Quality Evaluation in the Lower Fox River and Southern Green Bay of Lake Michigan. University of Wisconsin Center for Lake Superior Environmental Studies, Superior, WI.
- Callahan, M.A., M.W. Slimak, N.W. Gabel, I.P. May, C.F. Fowler, J.R. Freed, P. Jennings, R.L. Durfee, F.C. Whitmore, B. Maestri, W.R. Mabey, B.R. Holt, C. Gould, 1979. *Water-Related Environmental Fate of 129 Priority Pollutants*. EPA-440/4-79-029a. United States Environmental Protection Agency, Washington, D.C.
- Campbell, S., 1999. "Plan to restore Cat Island gets federal support." Newspaper article in the *Green Bay Press Gazette*. December 22,1999.
- Capel, P., and S. Eisenreich. 1990. "Relationship between chlorinated hydrocarbons and organic carbon in sediment and porewater." *Journal of Great Lakes Research* 16(2):245-257.
- Chroneer, Z., 1996. Sediment and Contaminant Transport in Green Bay. University of California Santa Barbara. Ph.D. Dissertation.
- Cogswell, S., and D. Bougie, 1998. *Duck Creek Fisheries Assessment, Final Report*. Report 98-2, U.S. Fish and Wildlife Service, Green Bay Fishery Resources Office; Wisconsin Dept. of Natural Resources, Green Bay Area, October 30, 1998.
- Conlon, T. D., 1998. *Hydrogeology and Simulation of Ground-water Flow in the Sandstone Aquifer, Northeastern Wisconsin*. USGS Water Resources Investigations Report 97-4096, Middleton, Wisconsin.

8-4 References

- Conlon, T. D., 2002. Personal Communication from USGS regarding hydrogeology of Lower Fox River. May 17.
- Custer, C., T. Custer, P. Allen, K. Stromberg, and M. Melancon, 1998. "Reproduction and environmental contamination in tree swallows nesting in the Fox River drainage and Green Bay, Wisconsin, USA." *Environmental Toxicology and Chemistry*. 17(9):1786-1798.
- Cuthbert, F., 1998. Personal communication of Francine Cuthbert, University of Minnesota, with L. Mortensen, ThermoRetec, regarding tern populations. November.
- Dale, T.B., and K.L. Stromberg, 1993. *Reconnaissance Surveys of Contaminants Potentially Affecting Green Bay and Gravel Island National Wildlife Refuges*. U.S. Fish and Wildlife Service, Green Bay Ecological Services Field Office, 1015 Challenger Court, Green Bay, WI 54311, December 1993.
- De Pinto, J.V., V.J. Bierman, T.C. Young, 1993. Recalibration of GBTOX: An Integrated Exposure Model for Toxic Chemicals in Green Bay, Lake Michigan. Prepared for USEPA Large Lakes and Rivers Research Branch, Environmental Research Laboratory, Grosse Ile, Michigan. December 31.
- DeVault, D.S., R. Hesselberg, P.W. Rodgers, T.J. Feist, 1996. "Contaminant trends in lake trout and walleye from the Laurentian Great Lakes." *Journal of Great Lakes Research*. 22(4):884-895.
- De Vore, S., 1999. *Northern Flights: Tracking the Birds and Birders of Michigan's Upper Peninsula*. Mountain Press Publishing Company. Missoula, MT. 152 pp.
- Dykstra, C.J.R. and M.W. Meyer, 1996. *Effects of Contaminants on Reproduction of Bald Eagles on Green Bay, Lake Michigan.* U. S. Fish and Wildlife Service and Wisconsin Dept. of Natural Resources. February.
- Eadie, B.J., G.L. Bell, and N. Hawley, 1991. Sediment Trap in the Green Bay Mass Balance Program: Mass and Organic Carbon Fluxes, Resuspension, and Particle Settling Velocities. NOAA Technical Memorandum ERL GLERL-75. Great Lakes Environmental Research Laboratory, Ann Arbor, MI. 29 pp.
- East Central Wisconsin Regional Planning Commission, 1996. The Fox Cities Area Existing Land Use Map.
- EcoChem, 2000. Data Management Summary Report: Fox River Remedial Investigation and Feasibility Study.

- EDR, 1995. The EDR-Radius Map Reports: Fox River De Pere, Neenah and Menasha, and Kimberly. Included in GAS/SAIC, 1996.
- EPA, 1980. Ambient water quality criteria for arsenic. Washington DC: Office of Water Regulations and Standards. EPA 440/5-80-021.
- EPA, 1982. An exposure and risk assessment for arsenic. Washington DC: Office of Water Regulations and Standards. EPA Report 440/4-85-005.
- EPA, 1983. *Hazardous Waste Land Treatment, SW-874*. Washington DC. Office of Solid Waste and Emergency Response. Page 273, Table 6.46.
- EPA, 1984. Mercury Health effects updates: Health issue assessment. Final Report. Washington DC. Office of Health and Environmental Assessment. EPA-600-8-84-019F.
- EPA, 1989. Green Bay Mass Balance Study Plan: A Strategy for Tracking Toxics in the Bay of Green Bay, Lake Michigan. US Environmental Protection Agency Great Lakes National Program Office. Chicago, Illinois. EPA-905/8-89/001.
- EPA, 1993a. Wildlife Exposure Handbook. U.S. EPA Office of Health and Environmental Assessment, ORD. Washington, D.C.
- EPA, 1993b. Updated version of the Region 8 CWA Section 304(a) criteria chart. United States Environmental Protection Agency.
- EPA, 1994. Estimating Exposure to Dioxin-Like Compounds, Volume II: Properties, Sources, Occurrence and Background Exposures. Review Draft. EPA/600-6-88/005Cb. United States Environmental Protection Agency, Washington, D.C.
- EPA, 1997. Lower Green Bay and Fox River Area of Concern. *EPA website* www.epa.gov/glnpo/aoc/greenbay.html.
- EPA 2000a. Agreement of Consent. Summarized in the *Fox River Current*. http://www.epa.gov/region5/foxriver/current/july00/index.html.
- EPA, 2000b. *Permit Compliance System Website* for Michigan NPDES Permittees. http://www.epa.gov/enviro/html/pcs/pcs\_query\_java.html
- EPA, 2000c. Hudson River PCBs Reassessment RI/FS Responsiveness Summary for Volume 2E Baseline Ecological Risk Assessment.

8-6 References

- EPA, 2002. Principles for managing contaminated sediment risks at hazardous waste sites. United States Environmental Protection Agency, Office of Solid Waste and Emergency Response. OSWER Directive 9285.6-08. Drafted October 22, 2001. Signed February 12, 2002.
- Erdman, T, 1999a. Personal communication from Richter Museum Curator, UW-GB regarding Cat Island Chain, Green Bay wetlands, Bay Port and Kidney Island CDFs, and other miscellaneous bay information. December 14.
- Erdman, T, 1999b. Personal communication from Richter Museum Curator, UW-GB regarding re-establishment of Cat Island Chain and use of bay sediments for this project. December 15.
- EVS, 1998. Sheboygan River and Harbor Aquatic Ecological Risk Assessment (Volume 1 of 3), Seattle, Washington. Prepared by EVS Environmental Consultants and National Oceanic and Atmospheric Administration.
- EWI Engineering Associates, Inc., 1991. Dep A Technical Memo:, Task 3: Sediment Transport LLBdM. Project No. 15605.00.
- Exponent, 1998. Habitat Characterization for the Lower Fox River and Green Bay Assessment Area. Prepared for the Fox River Group and the Wisconsin Department of Natural Resources. Landover, MD.
- Fitzgerald, S.A. and J.J. Steuer, 1996. *The Fox River PCB Transport Study Stepping Stone to a Healthy Great Lakes Ecosystem*. USGS Fact Sheet FS-116-96.
- Fitzpatrick, W., 2000. Personal communication from WDNR regarding remedial dredging activities at Deposit N. February 22.
- Foth & Van Dyke, 2000. *Summary Report, Fox River Deposit N*. Completed on behalf of the Wisconsin Department's of Administration and Natural Resources.
- Fox River Remediation Advisory Team (FRRAT), 2000. Evaluation of the Effectiveness of Remediation Dredging: The Fox River Deposit N Demonstration Project, November 1998 January 1999. Madison, Wisconsin, June 2000.
- Flath, L.E. and J.S. Diana, 1985. "Seasonal energy dynamics of the alewife in southeastern Lake Michigan." *Transactions of the American Fisheries Society*. 114:328–337.

- Gailani, J., C.K. Ziegler, and W. Lick, 1991. "The transport of suspended solids in the Lower Fox River." *Journal of Great Lakes Research*, 17:479-494, International Association of Great Lakes Research.
- Gilbertson, M., 1988. "Epidemics in Birds and Mammals Caused by Chemicals in the Great Lakes." *Toxic Contaminants and Ecosystem Health; A Great Lakes Focus*. Pages 133-140. M.S. Evans ed., John Wiley & Sons, Inc.
- Gobas, F.A.P.C., 1993. A model for predicting the bioaccumulation of hydrophobic organic chemicals in aquatic food-webs: Application to Lake Ontario. *Ecological Modeling*. 69:1-17. December 8.
- Gobas, F.A.P.C., M.N.Z'Graggen, X. Zhang, 1995. "Time response of the Lake Ontario Ecosystem to virtual elimination of PCBs." *Environmental Science & Technology*. 29(8):2038-2046
- Gottlieb, E.S., J.H. Saylor, and G.S. Miller, 1990. Current and Water Temperatures Observed in Green Bay, Lake Michigan Part I: Winter 1988/89 Part II: Summer 1989. NOAA Technical Memorandum ERL GLERL-73. Great Lakes Environmental Research Laboratory, Ann Arbor, MI.
- Graef, Anhalt, Schloemer & Associates Inc. and Science Applications International Corporation (GAS and SAIC), 1996. Remedial Investigation Report for Contaminated Sediment Deposits on the Fox River (Little Lake Butte des Morts to the De Pere dam). Wisconsin Department of Administration, Madison, Wisconsin.
- Great Lakes Commission, 2000, Metafile (electronic) fish and bird location data for the Upper Peninsula of Michigan. From NOAA Environmental Sensitivity Index report. Supplied by Tom Rayburn, February 8, 2000.
- Haen, D., 2000. Personal communication from Port of Green Bay regarding Port of Green Bay operations and the Bay Port CDF. January 25.
- Harris, H.J., 1991. *The State of the Bay, A Capsule Review*. University of Wisconsin-Green Bay Institute for Land and Water Studies. 20 pp.
- Harris, H.J., 1994. The State of the Bay, A Watershed Perspective The Condition of the Bay of Green Bay/Lake Michigan 1993. University of Wisconsin-Green Bay Institute for Land and Water Studies. 24 pp.
- Harrison, C., A. Greensmith, 1993. *Birds of the World*. DK Publishing, Inc., New York, NY. 416 pp.

8-8 References

- Hawley, N. and J. Niester. 1993. "Measurement of Horizontal Sediment Transport in Green Bay, May-October, 1989." *Journal of Great Lakes Research*. 19(2): 368-378.
- Heagerty, P., T. Lumley, 2000. "Window subsampling of estimating functions with application to regression models." *Journal of the American Statistical Association* 95: 197 211.
- Heaps, N.S, C.H. Mortimer, E.J. Fee, 1982. *Numerical Models and Observations of Water Motion in Green Bay, Lake Michigan*. University of Wisconsin Sea Grant College Program, Publication WIS-SG-82-737.
- Hewett, S.W., D.J. Stewart, 1989. "Zooplanktivory by alewives in Lake Michigan: Ontogenetic, seasonal, and historical patterns." *Transaction of the American Fisheries Society.* 118(6):581–596.
- HNTB, 1996. Brown County Year 2020 Land Use and Transportation Plan, Final Report. Prepared for Brown County Planning.
- Hoff, R.M., W.M.J. Strachan, C.W. Sweet, C.H. Chan, M. Shackleton, T.F. Bidleman, K.A. Brice, D.A. Burniston, S. Cussion, D.F. Gatz, K. Harlin, W.H. Schroeder, 1994. *Atmospheric Deposition of Toxic Chemicals to the Great Lakes: A Review of Data through 1994*. International Joint Commission.
- Hornbuckle, K.C., D.R. Achman, and S.J. Eisenreich, 1993. "Over-water and over-land polychlorinated biphenyls in Green Bay, Lake Michigan." *Environmental Science Technology* 27(1):87-98.
- Hornbuckle, K.C., C.W. Sweet, R.F. Pearson, D.L. Swackhammer, and S.J. Eisenreich. 1995. "Assessing annual water-air fluxes of polychlorinated biphenyls in Lake Michigan." *Environmental Science and Technology*, 29:869-877.
- House, L.B., 1990. Data on Polychlorinated Biphenyls, Dieldrin, Lead, and Cadmium in Wisconsin and Upper Michigan Tributaries to Green Bay, July 1987 through April 1988. U.S. Geological Survey Open-File Report 89-52.
- House, L.B., P.E. Hughes, R.J. Waschbusch, 1993. *Concentrations and Loads of Polychlorinated Biphenyls in Major Tributaries Entering Green Bay, Lake Michigan, 1989-90*. U.S. Geological Survey Open-File Report 93-132. Prepared by USGS in cooperation with USEPA and the WDNR.
- Howard, P. H. (Ed.), 1991. *Handbook of Environmental Degradation Rates*. Lewis Publishers, Boca Raton, Florida.

- Howe, R.W., A.T. Wolf, T.C. Erdman, 1993. A Study of Wintering Bald Eagles on the Fox River of Northeastern Wisconsin. Department of Natural and Applied Sciences, UWGB. Submitted to Repap Wisconsin, Inc.
- HydroQual, Inc., 1999. Hydrodynamics, Sediment Transport and Sorbent Dynamics in Green Bay. Prepared for WDNR.
- IJC, 1992. Sixth Biennial Report Under the Great Lakes Water Quality Agreement of 1978.
- IPS, 1993a. Benthic Community Characterization in Little Lake Butte des Morts, Winnebago County, Wisconsin 1992. Appleton, Wisconsin. Project 5058. 49 pp.
- IPS, 1993b. Benthic Community Component, Fox River Sediment Quality Triad Assessment 1992. Appleton, Wisconsin. Project 5059. 40 pp.
- IPS 1994. Benthic Community Component, Fox River Sediment Quality Triad Assessment 1993. Appleton, Wisconsin. Project 5064. 36 pp.
- IPS, 1995. Lower Fox River/Bay of Green Bay Biological Water Quality Study 1994. Appleton, Wisconsin. Project 5073. 100 pp.
- Jones, M.L., G.W. Eck, D.O. Evans, M.C. Fabrizio, M.H. Hoff, P.L. Hudson, J. Janssen, D. Jude, R.O. O'Gorman, J.F. Savino, 1995. Limitations to lake trout (*Salvelinus namaycush*) rehabilitation in the Great Lakes imposed by biotic interactions occurring at early life stages. *Journal of Great Lakes Research*. 21 (Supplement 1): 505-517.
- Konrad, J.G., 1971. Mercury content of various bottom sediments, sewage treatment plant effluents, and water supplies in Wisconsin. Research Report #74, WDNR. As cited in WDNR, 1996.
- Konrad, J.G., 1992. "Estimates of Lead Cadmium, and PCB Loading to the Lower Fox River and Lower Green Bay." *Research Management Findings, Number 33*, May 1992. WDNR Bureau of Research.
- Krohelski, J.T., B.A. Brown, 1986. *Hydrogeology and Ground-water Use and Quality, Brown County, Wisconsin*. WGNHS Information Circular Number 57.
- Krohelski, J. 2002. Personal Communication from USGS regarding hydrogeology of Lower Fox River. May 29.

8-10 References

- Krug, W.R., D.H. Conger, W.A. Gebert, 1992. *Flood-Frequency Characteristics of Wisconsin Streams*. USGS Water-Resources Investigations Report 91-4128, prepared in cooperation with the Wisconsin Department of Transportation.
- Kubiak, T.J., D.A. Best, 1991. Wildlife Risks Associated with Passage of Contaminated, Anadromous Fish at Federal Energy Regulatory Commission Licensed Dams in Michigan. Contaminants Program, Division of Ecological Services. East Lansing, Michigan. August 16.
- Lamon III, E.C., S.R. Carpenter, et al., 1998. "Forecasting PCB concentrations in Lake Michgan salmonids: A dynamic linear model approach. *Ecological Applications*. 8(3):659-668.
- Lathrop, R.G.J., J.R. Vande Castle, T.M. Lillesand, 1990. "Monitoring River Plume Transport and Mesoscale Circulation in Green Bay, Lake Michigan, Through Satellite Remote Sensing." *Journal of Great Lakes Research* 16(3):471-484.
- LeRoux, E. F., 1957. Geology and Ground-Water resources of Outagamie County, Wisconsin.

  USGS Water Supply Paper 1421.
- Leshkevich, G.A., 1977. *Great Lakes Ice Cover, Winter 1975-76*. NOAA Technical Memorandum ERL GLERL-12. Great Lakes Environmental Research Laboratory, Ann Arbor, MI.
- Lick, W., Y. Xu, J. McNeil. 1995. "Resuspension Properties of Sediments from the Fox, Saginaw, and Buffalo Rivers." *Journal of Great Lakes Research*. 21(2): 257-274.
- LTI Environmental Engineering, 1999. Fox River and Green Bay Fate and Transport Model Evaluation: Tehenical Memorandum 2b-Computation of Watershed Solids and PCB Load Estimates for Green Bay. Ann Arbor Michigan.
- Lychwick, T., 2000a. Personal communication from WDNR regarding walleye spawning and longevity in Green Bay. February 21.
- Lychwick, T., 2000b. Personal communication from WDNR and comments regarding fish of Green Bay. June 22.
- Lychwick, T., 2000c. Personal communication from WDNR regarding fish die-offs in Green Bay. June 30.

- Magnuson, J.J., D.L. Smith, 1987. Food Chain Modeling Needs Obtained Through Stomach Analysis of Walleye and Brown Trout. Final Report to U.S. EPA. University of Wisconsin.
- Maitland, P.S., N.C. Morgan, 1997. Conservation Management of Freshwater Habitats: Lakes, Rivers and Wetlands. Chapman and Hall. London, England. 233 pp.
- Manchester-Neesvig, J. B., A.W. Andren, and D.N. Edgington, 1996. "Patterns of mass sedimentation and of deposition of sediment contaminated by PCBs in Green Bay." *Journal of Great Lakes Research* 22:444-462.
- Markert, B.E., 1978. The Distribution and Abundance of Benthic Invertebrates in Green Bay, Lake Michigan From 1938 1978, with Special Reference to Long-Term Water Quality Changes. Institute of Paper Chemistry. Appleton, Wisconsin.
- Mason, D.M., S.B. Brandt, 1996. "Effect of alewife predation on survival of larval yellow perch in an embayment of Lake Ontario." *Canadian Journal of Fish. Aquat. Sci.* 53:1609–1617.
- Matteson, S.W., 1988. *Wisconsin Common Tern Recovery Plan.* Wisconsin Endangered Resources Report 41. Bureau of Endangered Resources, Wisconsin DNR. Madison, Wisconsin. June.
- Matteson, S.W., 1998. Personal communication of Sumner Matteson, WDNR, with L. Mortensen, ThermoRetec, regarding double-crested cormorant population levels. October.
- Matteson, S.W., P.W. Rasmussen, K. Stromberg, T.I. Meier, J. Van Stappen, E. Nelson. 1998. *Changes in the Status, Distribution, and Management of Double-Crested Cormorants in Wisconsin*. WDNR, Bureau of Endangered Resources.
- McAllister, L.S., 1991. Factors Influencing the Distribution of Submerged Macrophytes in Green Bay, Lake Michigan A Focus on Light Attenuation and Vallisneria Americana. University of Wisconsin-Green Bay. Master of Science Thesis.
- Merck & Company, Inc., 1989. The Merck Index, 11th Edition: An Encyclopedia of Chemicals, Drugs, and Biologicals. Rahway, N.J. S. Budavari, ed. 1606 pp plus appendices.
- Meyer, M.W., C. Sindelar, R. Eckstein, and D. Evans, 1997. An Evaluation of the Effects of Environmental Contaminants on Wisconsin Bald Eagle Reproduction (1976-1987) Draft. WDNR, Bureau of Research.

8-12 References

- MDNR, 1998. Portage Marsh Restoration and Management Plan, Final Version. August 28, 1998
- MDNR, 2000. Peregrine Falcon. *Wildlife Division*. Internet publication at http://www.dnr.state.mi.us/Wildlife/Species/indicies/peregrine.htm.
- Mickelson, D.M., L. Clayton, R.W. Baker, et al., 1984. Pleistocene stratigraphic units of Wisconsin. WGNHS Miscellaneous Paper 84-1.
- Miller, G.S., J.H. Saylor. 1985. "Currents and Temperatures in Green Bay, Lake Michigan." *Journal of Great Lakes Research* 11:97-109.
- Miller, G.S., J.H. Saylor. 1993. "Low-Frequency Water Volume Transport through the Midsection of Green Bay, Lake Michigan, Calculated from Current and Temperature Observations." *Journal of Great Lakes Research* 19:361-367.
- Mills, G., 2000. Personal communication from WDNR sent with WDNR discharge records for Door and Kewaunee Counties. July 13.
- Minc, L.D., D.A. Albert, 1998. "Great Lakes Coastal Wetlands: Abiotic and Floristic Characterization." *Michigan Natural Features Inventory*. Ann Arbor, MI. 15 pp.
- Modlin, R.F., A.M. Beeton, 1970. "Dispersal of Fox River Water in Green Bay, Lake Michigan." *Proceedings 13th Conference Great Lakes Research*. 468-476 pp.
- Montgomery Watson, 1998. Fox River SMU 56/57 Basis of Design Report for Sediment Remediation Demonstration Project. Pages 1-1 through 3-17.
- Montgomery Watson, 2000. Draft Summary Report: Sediment Removal Demonstration Project, Sediment Management Unit 56/57, Fox River, Green Bay, Wisconsin. April.
- Montgomery, J.H., 2000. *Groundwater Chemicals Desk Reference*. Third Edition. Lewis Publishers, Boca Raton, Florida.
- Mortimer, C.H., 1978. "Water Movement, Mixing, and Transport in Green Bay, Lake Michigan." *Proceedings of the Green Bay Research Workshop, Green Bay, Wisconsin*. Sponsored by the University of Wisconsin Sea Grant College Program. September 14-16, 1978. Pages 10-57. Harris & Garsow, ed. 184 pp.
- Mossman, M.J., 1988. Wisconsin Forster's Tern Recovery Plan. Wisconsin Endangered Resources Report 42. Wisconsin Department of Natural Resources, Bureau of Endangered Resources

- Mountain-Whisper-Light, 2001. *Time Trends in PCB Concentrations in Sediment and Fish, Lower Fox River, Wisconsin.* The Mountain-Whisper-Light Statistical Consulting and ThermoRetec Consulting Corporation. March 30.
- Mudrey, M.G. and K.R. Bradbury, 1992. Evaluation of NURE Hydrogeochemcial Data for Use in Wisconsin Groundwater Studies. Wisconsin Geologic and Natural History Survey Open File Report 93-2.
- National Agricultural Statistics Service (NASS), 2000. *Mink*. U.S. Department of Agriculture. 8 pp.
- Natural Heritage Inventory, 2000. Metafile (electronic) of Endangered and Threatened Species. Endangered Resources Program, WDNR. E-mail to Stephen Jesse, ThermoRetec, Seattle, February 3, 2000.
- Need, E.A., 1983. *Pleistocene geology of Brown County, Wisconsin*. WGNHS Information Circular 48.
- Neville Public Museum of Brown County, 1845. *Chart of Green Bay*. Map in Museum Collection. Included in Bosley, 1976.
- Nikolai, R., 1998. Personal communication from WDNR regarding waterfowl surveys from 1975 through 1998, birds of the region and mink and otter populations. August 24.
- Nikolai, R., 2000a. Personal communication from WDNR regarding various aspects of the biological and ecological aspects of the Lower Fox River and Green Bay system. June 22.
- Nikolai, R., 2000b. Personal communication from WDNR regarding various aspects of the biological and ecological aspects of the Lower Fox River and Green Bay system. October 11.
- NOAA, 1991. Recreational Chart 14908 Dutch Johns Point to Fishery Point, 17th Edition. U.S. Department of Commerce.
- NOAA, 1992. Recreational Chart 14916 Lake Winnebago and Lower Fox River, 8th Edition. U.S. Department of Commerce.
- NOAA, 1996. Recreational Chart 14902 North End of Lake Michigan Including Green Bay, 27th Edition. U.S. Department of Commerce.

8-14 References

- NOAA, 1997a. Recreational Chart 14917 Menominee and Marinette Harbors, 23rd Edition. U.S. Department of Commerce.
- NOAA, 1997b. Recreational Chart 14919 Sturgeon Bay and Canal, 27th Edition. U.S. Department of Commerce.
- NOAA, 1997c. Environmental Sensitivity Index Metadata (electronic). E-mail to Stephen Jesse, ThermoRetec, Seattle, October 27, 1999.
- NOAA, 1998a. Recreational Chart 14909 Upper Green Bay, 19th Edition. U.S. Department of Commerce.
- NOAA, 1998b. Recreational Chart 14910 Lower Green Bay Algoma and Oconto, 22nd Edition. U.S. Department of Commerce.
- NOAA, 1998c. Recreational Chart 14918 Head of Green Bay including Fox River Below De Pere, 26th Edition. U.S. Department of Commerce.
- NRC, 2001. A Risk Management Strategy for PCB Contaminated Sediments. Committee on Remediation of PCB-Contaminated Sediments, National Research Council. National Academy Press, Washington, D.C,.
- Offenberg, J.H., J.E. Baker, 2000. "PCBs and PAHs in Southern Lake Michigan in 1994 and 1995: Urban atmospheric influences and long-term declines." *Journal of Great Lakes Research*. 26(2):196-208.
- Olcott, P.G., 1968. "Water Resources of Wisconsin Fox-Wolf River Basin." USGS Hydrologic Investigations Atlas HA-321, 4 Plates.
- Olejniczak, M., R. Florence., 1995. *Door County Development Plan*. Door County Resource Planning Committee. Sturgeon Bay, Wisconsin.
- Oman, B., 2000. Personal communication from WDNR sent with WDNR discharge records for Marinette and Oconto Counties. July 25.
- OSI/Exponent., 1999. Metafile (electronic) GIS data from the 1998 Exponent Habitat Characterization for the Lower Fox River and Green Bay Assessment Area. E-mail to Stephen Jesse, ThermoRetec, Seattle, February 4, 2000.
- Palmer, R.S., 1988. "Bald Eagle Haliaeetus leucocephalus (Linnaeus)." *Handbook of North American Birds*, Vol. 4. R.S. Palmer (Ed.) Yale University Press. New Haven, Connecticut. P. 187-237.

- Patnode, K., 1998. Personal communication from Kathy Patnode of WDNR regarding mink populations in the Lower Fox River.
- Raghunathan, R.K.,1994. The Development and Calibration of a Coupled Sorbent-Toxics Model for PCBs in Green Bay, Lake Michigan. Ph.D. Dissertation, State University of New York Buffalo.
- RAP Biota & Habitat Work Group, April 1994. Green Bay Habitat Restoration Workshop Summary. 21 pp.
- RAP Biota & Habitat Work Group, April 1996. Lower Green Bay Habitat Restoration Goals. 4 pp.
- RETEC, 1998a. Work Plan Data Management, Remedial Investigation/Feasibility Study, and Risk Assessment for the Lower Fox River. Project No. 3-3584-000.
- RETEC, 1998b. Quality Assurance Project Plan for Supplemental Data Collection, Fox River RI/FS (QAPP). Project No. 3-3584-000.
- RETEC, 1998c. Screening Level Risk Assessment, Fox River RI/FS. Project No. 3-3584-000.
- RETEC, 2002. Baseline Human Health and Ecological Risk Assessment, Lower Fox River, Wisconsin, Remedial Investigation and Feasibility Study.
- Rezabeck, C., 1998. Personal communication from WDNR regarding bird and bat studies in the Lower Fox River region. September 23.
- Rodgers, J., 2000. Personal communication from Wisconsin Central Railroad Company regarding Port of Escanaba and the WCRR operations. January 26.
- Sager, P.E, 1986. "Update on Trophic Status of the Bay Trends, 1970-85." *The Proceedings of the 1986 Green Bay/Fox River Research Symposium, March 24-25, 1986*. Sponsored by the RETEC, WDNR, and Brown County Neville Public Museum. 47 pp.
- Sager, P.E., S. Richman, 1991. "Functional Interaction of Phytoplankton and Zooplankton along the Trophic Gradient in Green Bay, Lake Michigan." *Canadian Journal of Fisheries and Aquatic Sciences*. 48: 116-122.
- Schideler, G.L, 1994a. "Temporal Variability of Shoreline Positions and Coastal Wetland Along Lower Green Bay, Oconto and Brown Counties, Wisconsin." *Miscellaneous Field Studies Map MF-2254*.

8-16 References

- Schideler, G.L., 1994b. "Shoreline and Coastal Wetland Variability along the West Shore of Green Bay, Marinette and Oconto Counties, Wisconsin." *Miscellaneous Field Studies Map MF-2252*.
- Schneeberger, P., 1999. Personal communication from MDNR regarding fish spawning areas in northern Green Bay. December 28.
- Schneeberger, P., 2000. Personal communication from MDNR regarding water characteristics and fish of northern Green Bay. January 25.
- Scott, W.B., E.J. Crossman, 1973. Freshwater fishes of Canada. Bulletin 184. Fisheries Resources Board of Canada. Ottawa, Canada.
- SCS, 1972. Soil Survey of Brown County, Wisconsin. U.S. Department of Agriculture.
- SCS, 1978. Soil Survey of Door County, Wisconsin. U.S. Department of Agriculture.
- SCS, 1988. Soil Survey of Oconto County, Wisconsin. U.S. Department of Agriculture.
- SCS, 1989. Soil Survey of Menominee County, Michigan. U.S. Department of Agriculture.
- SCS, 1991. Soil Survey of Marinette County, Wisconsin. U.S. Department of Agriculture.
- SCS, 1994. Soil Survey of Delta County and Hiawatha National Forest of Alger and Schoolcroft Counties, Michigan. U.S. Department of Agriculture.
- Shepherd, W.C., E.L. Mills, 1996. "Diel feeding, daily food intake, and Daphnia consumption by age-0 gizzard shad in Oneida Lake, New York." *Transactions of the American Fisheries Society.* 125:411–421.
- Sinclair, W.C., 1960. Reconnaissance of the Ground-Water Resources of Delta County, Michigan. Michigan Department of Conservation Geological Survey Division, Progress Report #24, 93 pp.
- Smith, J., 1999a. Personal communication from USFWS regarding loss of the former Cat Island Chain. November 10.
- Smith, J., 1999b. Personal communication from USFWS regarding restoration of the former Cat Island Chain. December 15.

- Smith, P.L., R.A. Ragotzkie, A.W. Andren, and H.J. Harris. 1988. "Estuary Rehabilitation: The Green Bay Story." University of Wisconsin Sea Grant Program Reprint (WIS-SG-88-864), reprinted from *Oceanus*, 31(3):12-20.
- Smith, D.W., 2000. "Analysis of rates of decline in PCBs in different Lake Superior media." *Journal of Great Lakes Research.* 26(2):152-163.
- Steuer, J.J., December 20,1990. *Little Lake Butte des Morts; Bergstrom Landfill*. Memorandum to Tom Sheffy, WDNR.
- Stewart, D. and D. Chisolm, 1971. "Long-term persistence of BHC, DDT, and chlordane in a sandy loam soil." *Canadian Journal of Soil Science* 51:379-383.
- Stiller, D. 1998. A Multitude of Fishes; A Century of Fishing on Green Bay. Alt Publishing Company. Green Bay, Wisconsin.
- Stoll, R., K. Erdmann, 1990. Preliminary Green Bay Mass Balance Groundwater Monitoring Reports (An Assessment of the Bayshore Landfill). WDNR
- Stoll, R., K, Erdmann, 1992. Green Bay Mass Balance Groundwater Monitoring Results. WDNR
- Stratus Consulting, Inc. (Stratus), 1999a. PCB Pathway Determination for the Lower Fox River/Green Bay Natural Resource Damage Assessment. Prepared for the US Fish and Wildlife Service.
- Stratus Consulting, Inc., 1999b. *Injuries to Fisheries Resources, Lower Fox River/Green Bay Natural Resource Damage Assessment*. Prepared for the US Fish and Wildlife Service.
- Stratus Consulting, Inc., 1999c. *Injuries to Avian Resources, Lower Fox River/Green Bay Natural Resource Damage Assessment*. Prepared for the US Fish and Wildlife Service.
- Stubenvoll, S.C., April 17, 1998. Eagle and osprey nest locations. Memorandum to George Boronow, WDNR.
- Surber, E.W., H.L. Cooley, 1952. *Bottom Fauna Studies of Green Bay, Wisconsin in Relation to Pollution*. U. S. Public Health Service and Wisconsin Committee on Water Pollution. 7 pp.
- Sullivan, J.R., J.J. Delfino. 1982. A Select Inventory of Chemicals Used in Wisconsin's Lower Fox River Basin. University of Wisconsin Sea Grant Institute, WIS-SG-82-238. 176 pp.

8-18 References

- Sweet, C. W., T. J. Murphy, J. H. Bannasch, C. A. Kelsey, J. Hong. 1993. "Atmospheric Deposition of PCBs into Green Bay." *Journal of Great Lakes Research* 19(1):109-128.
- Szymanski, S., 1998. Personal communication from WDNR regarding clam/mussel beds in the Lower Fox River. September 28.
- Szymanski, S., 2000. Personal communication from WDNR regarding zebra mussels and wetlands in the Lower Fox River and Green Bay. June 22.
- Temple, S.A., J.R. Cary, R. Rolley, 1997. Wisconsin Birds: A Seasonal and Geographical Guide. Second Edition. The University of Wisconsin Press. Madison, WI. 320 pp.
- ThermoRetec Consulting Corporation, 2000. *Draft Review of Natural PCB Degradation Processes in Sediments*. Project No. WISC-14414-530.
- Toneys, M., 1999. Personal communication from WDNR regarding the fish of Green Bay. December 16.
- USACE, 1905. "Head of Green Bay including Fox River Below De Pere, Wisconsin." *Lake Survey Chart No. 725*. Included in Bosley, 1976.
- USACE, September 1985. Appleton Upper Dam, Dam Stability Analysis, Fox River, Wisconsin, Final Report. Detroit District.
- USACE, 1985. Final Environmental Impact Statement, Green Bay Harbor, Wisconsin Confined Disposal Facility.
- USACE, December 1987. *Menasha Dam, Dam Stability Analysis, Fox River Wisconsin*. Detroit District, NCD.
- USACE, August 1994. *Menasha Dam, Fourth Periodic Inspection, Fox River Wisconsin.* Detroit District.
- USACE, August 1994. Rapide Croche Dam, Fourth Periodic Inspection, Fox River Wisconsin. Detroit District.
- USACE, June 1995. Appleton Dams, Fifth Periodic Inspection, Fox River Wisconsin. Detroit District.
- USACE, June 1995. Cedars Dam, Fifth Periodic Inspection, Fox River Wisconsin. Detroit District.

- USACE, June 1995. DePere Dam, Fifth Periodic Inspection, Fox River, Wisconsin. Detroit District.
- USACE, May 1996. Kaukauna Dam, Fifth Periodic Inspection, Fox River, Wisconsin. Detroit District.
- USACE, May 1996. Little Chute Dam, Fifth Periodic Inspection, Fox River, Wisconsin. Detroit District.
- USACE, May 1996. Little Kaukauna Dam, Fifth Periodic Inspection, Fox River, Wisconsin. Detroit District.
- USACE, November 1996. Little Kaukauna Dam, Stability Analysis, Fox River, Wisconsin, Final Report. Detroit District.
- USACE, 1996. *International Great Lakes Datum 1985*. Internet publication at http://lre.usace.army.mil/IGLD.1985/igldhmpg.html.
- USACE, January 1997. Appleton Lower Dam, Dam Stability Analysis, Fox River, Wisconsin, Final Report. Detroit District.
- USACE, January 1997. Cedars Dam, Dam Stability Analysis, Fox River, Wisconsin, Final Report. Detroit District.
- USACE, April 1997. *DePere Dam, Stability Analysis, Fox River, Wisconsin, Final Report.* Detroit District.
- USACE, April 1997. Little Chute Dam, Stability Analysis, Fox River, Wisconsin, Final Report. Detroit District.
- USACE, May 1997. Kaukauna Dam, Stability Analysis, Fox River, Wisconsin, Final Report Detroit District.
- USACE, May 1997. Rapide Croche Dam, Dam Stability Analysis, Fox River, Wisconsin, Final Report. Detroit District.
- USACE, 1998a. *Lake Winnebago Facts Book*. Internet publication at http://superior.lre.usace.army.mil/COASTAL/lwfacts.html.
- USACE, 1998b. *Great Lakes Long-Term Average, Maximum, and Minimum Lake Levels*. Website-http://lre.usace.army.mil/levels/maxmin.html.

8-20 References

- USACE, 1998c. Cat Island Restoration Project Area Site Layout Map Figure 2. Map number e:\*greenbay\*sec204\*c1106o97.dgn, dated June 25, 1998. Provided by Janet Smith, USFWS, Green Bay, Wisconsin
- USACE, 1998d. *Great Lakes Erosion Fact Sheet*. August 10, 1998. Website-http://huron.lre.usace.army.mil/hes/erosfacttml.
- USACE, 1999. Annual Report/Contract Dredging Report. Fox River/Green Bay, Wisconsin. http://huron.lre.usace.army.mil/OandM/text/green.txt
- USACE, 2000a. *Great Lakes Update 1999 Annual Summary*. Vol. No. 138. January 3, 2000. Detroit District.
- USACE, 2000b. *Great Lakes Update Water Levels Continue to Decline*. Vol. No. 139. April 6, 2000. Detroit District.
- USFWS, 1979. Classification of Wetlands and Deepwater Habitats of the United States. Publication FWS/OBS-79/31. U.S. Department of the Interior.
- USFWS, 1981. Fish and Wildlife Resources of the Great Lakes Coastal Wetlands within the United States. Volume 5: Lakes Michigan, Parts 2 and 3. U.S. Department of the Interior. Publication FWS/OBS-81/02 V5.
- USFWS, 1982. *Habitat Suitability Index Models: Common Carp*. Publication FWS/OBS-82/10.12. U.S. Department of Interior.
- USFWS, 1983a. *Habitat Suitability Information: Yellow Perch.* Publication FWS/OBS-82/10.55. U.S. Department of Interior.
- USFWS, 1983b. *Habitat Suitability Information: Common Shiner*. Publication FWS/OBS-82/10.40. U.S. Department of Interior.
- USFWS, 1984. *Habitat Suitability Information: Walleye*. Publication FWS/OBS-82/10.56. U.S. Department of Interior.
- USFWS, 1985. *Habitat Suitability Index Models and Instream Flow Suitability Curves: Gizzard Shad*. Biological Report 82(10.112). U.S. Department of Interior.
- USFWS, 1986. *Habitat Suitability Index Models: Mink*. Biological Report 82(10.127). U.S. Department of Interior.

- USFWS, 1993. Atlas of Green Bay Coastal Wetlands Influenced by Lake Level Changes. Green Bay Special Wetlands Inventory Study. Prepared for the U.S. EPA, Region 5, by the Green Bay Field Office, U.S. Fish & Wildlife Service.
- USFWS, 1995. "Evaluation of the Re-Introduction of Lake Sturgeon into the Waters of the Menominee Reservations." *FY 1995 Fisheries Stewardship Accomplishment Report*. Region 3. Green Bay, Wisconsin.
- USFWS, 1998. "Great Lakes Native Fish Restoration Lake Sturgeon (Acipenser fulvescens)." Annual Fisheries Stewardship Progress Report Lake Michigan. Green Bay Fisheries Resource Office, Green Bay, Wisconsin.
- USGS, 1992. Groundwater Atlas of the United States: Segment 9 Iowa, Michigan, Minnesota, Wisconsin, Hydrologic Investigations Atlas 730-J. U.S. Department of the Interior. Reston, VA. 31 pp.
- USGS, 1995a. Water Use. In Michigan Watersheds including the Cedar-Ford (04030109), Escanaba (04030110), Fishdam-Sturgeon, (04030112) and Menominee (04030108) at http://water.usgs.gov.cgi-bin and downloaded into Excel Spreadsheet
- USGS, 1995b. *Water Use*. In Wisconsin Watersheds including the Duck Pensaukee (04030103), Lower Fox (04030204, Menominee (04030108), Oconto (04030104), and Peshtigo (04030105) at http://water.usgs.gov.cgi-bin and downloaded into Excel Spreadsheet.
- USGS, 1998a. Water Resources Information, Fox River at Appleton, Wisconsin. http://h20.usgs.gov/swr/WI/?statnum=04084445.
- USGS, 1998b. Water Resources Information, Fox River at State Highway 55 at Kaukauna, Wisconsin. http://h20.usgs.gov/swr/WI/?statnum=04084475.
- USGS, 1998c. Water Resources Information, Fox River at Rapide Croche Dam-Wrightstown, Wisconsin. http://h20.usgs.gov/swr/WI/?statnum=04084500.
- USGS, 1998d. Water Resources Information, Fox River at Little Rapids, Wisconsin. http://h20.usgs.gov/swr/WI/?statnum=04085054.
- USGS, 1998e. Water Resources Information, Fox River at De Pere, Wisconsin. http://h20.usgs.gov/swr/WI/?statnum=04085059.
- USGS, 1998f. Water Resources Information, Fox River at Oil Tank Depot, Green Bay, Wisconsin. http://h20.usgs.gov/swr/WI/?statnum=040851385.

8-22 References

- USGS, 2000. Water Resources Information, Fox River at Oil Tank Depot, Green Bay, Wisconsin. http://h20.usgs.gov/swr/WI/?statnum=040851385.
- UWSGI, 1979. *Green Bay: Portrait of a Waterway*. Madison, Wisconsin. Publication WIS-SG-79-130. 22 pp.
- UWSGI, 1980. Fish Spawning Grounds in Wisconsin Waters of the Great Lakes. Publication WIS-SG-80-235. 35 pp.
- UWSGI, 2000a. "Fish of the Great Lakes: Rainbow Smelt." *UWSGI website* at http://h2o.seagrant.wisc.edu/Communications/Publications/Fish/
- UWSGI, 2000b. "Fish of the Great Lakes: Alewife." *UWSGI website* at http://h2o.seagrant.wisc.edu/Communications/Publications/Fish/
- UWSGI. 2000c. "Fish of the Great Lakes: Yellow perch." *UWSGI website* at http://h2o.seagrant.wisc.edu/Communications/Publications/Fish/
- UWSGI, 2000d. "Fish of the Great Lakes: Carp." *UWSGI website* at http://h2o.seagrant.wisc.edu/Communications/Publications/Fish/
- UWSGI, 2000e. Fish of the Great Lakes: Walleye. *UWSGI website* at http://h2o.seagrant.wisc.edu/Communications/Publications/Fish/
- Vanlier, K.E., 1963. *Ground-Water in Menominee County, Michigan*. Michigan Department of Conservation Geological Survey Section, Water Investigation #2, 42 pp.
- Velleux, M., D. Endicott, 1994. "Development of a Mass Balance Model for Estimating PCB Export from the Lower Fox River to Green Bay." *Journal of Great Lakes Research*, 20(2):416-434, International Association of Great Lakes Research.
- Velleux, M., D. Endicott, J. Steuer, S. Jaeger, D. Patterson, 1995. "Long-Term Simulation of PCB Export from the Fox River to Green Bay." *Journal of Great Lakes Research*, 21(3):359-372, International Association of Great Lakes Research.
- Velleux, M., 2000. Personal communication from WDNR regarding the coordinates for boundaries of Green Bay zones 2/3 and 3/4. March 13.
- WCC, 1994. Estimate of PCB Losses During Remediation, Little Lake Butte Des Morts, Deposit A Winnebago County, Wisconsin.

- WCC, 1996. Sediment/Site Characterization Summary, Little Lake Butte Des Morts, Deposit A Neenah-Menasha, Wisconsin.
- WDNR, 1968. Report on an Investigation of the Pollution in the Lower Fox River and Green Bay Made During 1966 and 1967. Division of Resource Development. Issued January 4 and revised January 18, 1968.
- WDNR, 1970. Reproduction and Early Life History of the Walleye in the Lake Winnebago Region. Technical bulletin 45. Wisconsin Department of Natural Resources. Madison, Wisconsin.
- WDNR, January 1980. Water Quality Modeling of the Lower Fox River for Wasteload Allocation Development Tables 4 and 5. Bureau of Water Quality.
- WDNR, 1985. Public Water Supply Data Book. Public Water Supply Section. 212 pp.
- WDNR, 1988. Lower Green Bay Remedial Action Plan for the Lower Fox River and Lower Green Bay Area of Concern. WDNR, PUBL-WR-175-87, Rev 88.
- WDNR, 1989/90. Sediment, Tissue, and Water Sample Data Collected from the Lower Fox River and Green Bay. Data contained in the FRDB and cited in the EcoChem Data Management Report, 2000.
- WDNR, 1990a. WPDES Permit Records Summary for RAP Update Evaluation. Available from WDNR NER Office.
- WDNR, 1990b. The Lower Menominee River Remedial Action Plan A Water Quality Restoration and Protection Plan. Published in conjunction with the MDNR. WDNR Publication PUBL-WR-246 90.
- WDNR, 1992. Sheboygan River and Harbor Superfund Site: Sediment Quality Criteria for PAHs and Need for Additional Data Collection. Memorandum from Duane Schuettpeltz to Mark Giesfeldt, August 20, 1992. WDNR, Bureau of Watershed Management.
- WDNR, 1993. The Lower Green Bay Remedial Action Plan 1993 Update for the Lower Green Bay and Fox River Area of Concern. WDNR, Bureau of Water Resources, Madison, Wisconsin.
- WDNR, 1995. A Deterministic PCB Transport Model for the Lower Fox River Between Lake Winnebago and De Pere, Wisconsin. Publication PUBL WR 389-95, WDNR, Water Resources, Madison, Wisconsin.

8-24 References

- WDNR, 1996. Lower Fox River System Sediment Characterization Sediment Quality Triad Assessment and Application of Sediment Quality Guidelines. Sediment Management and Remedial Techniques Team, Madison, Wisconsin.
- WDNR, 1997. Nonpoint Source Control Plan for Duck, Apple, and Ashwaubenon Creeks Priority Watershed Project Summary. Publication WT-493-97.
- WDNR, 1998. Assessment of PCBs in Sediment of the Lower Fox River from De Pere dam to Green Bay. Publication PUBL-WT-519-98, Bureau of Watershed Management, Madison, Wisconsin.
- WDNR, 1999a. Lower Fox River and Green Bay PCB Fate and Transport Model Evaluation, Technical Memorandum 2d, Compilation and Estimation of Historical Discharges of Total Suspended Solids and Polychlorinated Biphenyls from Fox River Point Sources.
- WDNR, 1999b. Wisconsin Wildlife Surveys, August 1999. Compiled by Brian Dhuey, Bureau of Integrated Science Services, Monona, WI.
- WDNR, 1999c. Model Evaluation Workgroup Technical Memorandum 2e, Estimation of Lower Fox River Sediment Bed Properties.
- WDNR, 1999d. Metafile (electronic) of wetland coverages for Green Bay and the Lower Fox River. E-mail to Anne Fitzpatrick, ThermoRetec, Seattle, January 5, 2000.
- WDNR, 2000a. *Post Dredging Results from SMU 56/57*. Memorandum from Bob Paulson to Bruce Baker and Greg Hill, February 21, 2000. WDNR, Bureau of Watershed Management.
- WDNR, 2000b. Summary and maps of the Green Bay West Shores Wildlife Area, Gardner Swamp Area, and Red Bank Glades State Natural Area. January 28, 2000 Letter from Terrence L. Gardon (WDNR Real Estate Specialist Lakeshore/Lower Fox Basin) to Eric P. Kovatch, Natural Resource Technology, Inc.
- WDNR, 2000c. Model Evaluation Workgroup Technical Memorandum 2f, Estimation of Sediment Bed Properties for Green Bay. December 15, 2000.
- WDNR, 2000d. Memorandum of Agreement Between the Department of the Army and the State of Wisconsin for the Transfer of the Locks and Appurtenant Features of the Federal Fox River Project, Wisconsin. 7 pp. Received from Ed Lynch, WDNR, via facsimile.

- WDNR, 2000e. Model Evaluation Workgroup Technical Memorandum 2e, Estimation of Sediment Bed Properties for the Lower Fox River: Addendum (4 reach effort).
- Weaver, M.J., J.J. Magnuson, M. K. Clayton, 1997. "Distribution of littoral fishes in structurally complex macrophytes." *Canadian Journal of Fisheries and Aquatic SciencesJuly* 3, 2001. 54:2277–2289.
- Weber, J.J., K.J. Otis, 1984. *Life History of Carp in the Lake Winnebago System, Wisconsin 131*. Department of Natural Resources Research. Madison, Wisconsin. December.
- Welch, A.H., M.S. Lico, J.L. Hughes, 1988. "Arsenic in groundwater of the western United States." *Ground Water* 26:333-347.
- Weseloh, D.V., P.J. Ewins, C.A. Bishop, J. Struger, P. Mineau, 1994. "Double-crested cormorants (*Phalacrocorax auritus*) of the Great Lakes: Changes in population size, breeding distribution and reproductive output, 1913–1991." *The Double-crested Cormorant: Biology, Conservation and Management, Vol. Colonial Waterbirds:* 18(Special Publication). D. N. Nettleship and D. C. Duffy (Eds.). p. 48–59.
- Weston, 1999. Peer Review of the Remedial Investigation and Data Management Reports for the Lower Fox River Natural Resource Damage Assessment. Prepared for the U.S. EPA. RFW021-2A-ADPO. 15 pp.
- Wiley, A.J., 1944. Review of Two Field Surveys of the February, 1944 Fish Kill on the East Shore of Green Bay. Memorandum from the Sulphite Pulp Manufacturer's Committee on Waste Disposal.
- Wisconsin Administrative Code (W.A.C.), 1997. Chapter NR 105, Surface Water Quality Criteria and Secondary Values for Toxic Substances.
- Wisconsin Division of Health, 1994. *Polycyclic Aromatic Hydrocarbons*, Toxic Chemical Series.
- Wisconsin Paper Council, 2000. *Industry Facts*. Website http//www.wipapercouncil.org/industry.htm
- Wisconsin Sate Climatology Office, 2000. Cities of Appleton, Green Bay, Oconto, and Marinette Wisconsin and Fayette Michigan Weather Information. Internet webpage http://mcc.sws.uiuc.edu/Summary.
- Wisconsin State Board of Health, 1939. *Investigation of the Pollution of the Fox and East Rivers and of Green Bay in the Vicinity of the city of Green Bay*. Committee on Water

8-26 References

Pollution in collaboration with the Green Bay Metropolitan Sewerage District (GBMSD).

Wisconsin State Board of Health, 1948. *Pollution Survey of the Lower Fox River*. 16 pp. Plus Tables and Figures. Committee on Water Pollution.

Wisconsin State Board of Health, 1956. Letter to Mr. O.J. Muegge, State Sanitary Engineer, dated October 15, 1956. 4 pp. Committee on Water Pollution.